

# Taurox SB™ 6X Enhanced Taurox SB™ 7X with Minerals

(Homeopathic)



Item # 55091, Taurox SB™ 6X Enhanced  
Item # 55251, Taurox SB™ 7X with Minerals  
Available in bottles of 25 ml

---

## The Possible Benefits of the Taurox SB™ formulas, homeopathic remedies

- May promote effective response of the immune system\*
- Modulation of immune response may result in decreased fatigue\*

---

## Description

Taurox SB™ 6X Enhanced and Taurox SB™ 7X with Minerals are homeopathic preparations for immune optimization.\* The homeopathic indication for their use is persistent fatigue present for one month or more.\* They appear to modulate the immune system (stimulating an underactive immune system and calming an overactive one), resulting in more effective immune response and decreased fatigue.\* The major active ingredient in both formulas is Taurox SB™, also called carbobenzoxy-β-alanyl taurine, or COBAT, which has undergone clinical testing. Taurox SB™ 6X Enhanced and Taurox SB™ 7X with Minerals represent the next step in the evolution of Taurox SB™, and initial reports indicate that benefits are equal or superior to those of Taurox SB™ alone.

Initial clinical trials have shown that over 90% of patients with moderate to severe fatigue experienced a reduction in fatigue after 3-6 weeks or longer.\* The mechanism of action in reducing fatigue appears to be modulation of cytokines.\* Increase energy that may result from balancing cytokine levels is not due to stimulation. These homeopathic remedies do not contain caffeine or ephedra.

Taurox SB™ is prepared by pure organic chemical synthesis and classical homeopathic methods, using no pesticides or toxic metals, according to procedures of the Homœopathic Pharmacopœia of the United States (HPUS). It is not yet listed in the HPUS, but it is recognized by an independent panel of homeopaths under FDA Compliance Policy Guide 7132.15.

Although they have the same basic action, Taurox SB™ 6X Enhanced contains more molecules and appears to have a stronger action than Taurox SB™ 7X with Minerals. (This is the opposite of classical homeopathic theory, where the more dilute a substance, the stronger it becomes.) Users of Taurox SB™ 7X with Minerals who do not get sufficient results may want to try Taurox SB™ 6X Enhanced.\* The suggested dose for Taurox SB™ 6X Enhanced of 12 drops per day provides significantly more Taurox SB™ than what was used in the clinical trial (which was 1 drop of 100% Taurox SB™). This allows a great deal of room for adjustment when determining an optimal dose for an individual. Users may get results with less than the full dose.

These formulas are designed to complement standard medical therapies.\* Although the initial clinical trials showed that over 90% of patients with moderate to severe fatigue experienced a reduction in fatigue after taking Taurox SB™ for 3-6 weeks, further reports suggest the effect may continue to increase with time.\* Some people report more vivid dreams and a deepening of sleep along with reduced fatigue.\* Some people report a temporary worsening of symptoms when they start taking homeopathic remedies, and if this happens, they should consult their physician.\*

The use of Taurox SB™ is covered by U.S. and foreign patents plus additional pending patents. Taurox SB™ is clinically tested and non-toxic.

\*THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

## **Taurox SB™ 6X Enhanced**

**Active ingredients:** *Abies nigra* 6X (14%), 12X (1%), 30X (1%)  
*Aloe socotrina* 6X (14%), 12X (1%), 30X (1%)  
*Arnica montana* 6X (14%), 12X (1%), 30X (1%)  
*Cactus grandiflora* 6X (14%), 12X (1%), 30X (1%)  
*Lycopodium clavatum* 6X (14%), 12X (1%), 30X (1%)  
Tauroxicum (carbobenzoxy beta-alanyl taurine or COBAT) 6X (14%), 12X (1%), 30X (1%)  
*Calcarea carbonica* 8X (14%), 12X (1%), 30X (1%)

## **Taurox SB™ 7X with Minerals**

**Active ingredients:** *Kali carbonicum* 8X (13%), 12X (1%), 30X (1%)  
*Phosphoricum acidum* 8X (13%), 12X (1%), 30X (1%)  
*Selenium metallicum* 8X (13%), 12X (1%), 30X (1%)  
*Silicea* 8X (13%), 12X (1%), 30X (1%)  
Tauroxicum (carbobenzoxy beta-alanyl taurine or COBAT) 7X (33%), 12X (1%), 30X (1%)  
*Zincum metallicum* 8X (13%), 12X (1%), 30X (1%)

---

**Other ingredients:** 20% ethanol, purified water.

**Suggested Use:** Briefly shake bottle before using. Adults: Place 12 drops under tongue daily, or as directed by a healthcare practitioner. You might get the full benefit from a smaller dose, so you might try half or even fewer drops. Drops can be taken all at the same time or throughout the day, preferably at least 6 hours prior to bedtime. Leave the drops in your mouth for 30 seconds before swallowing. Do not eat or drink 15 minutes before or after taking the product.

**Warnings:** Keep out of reach of children. Should not be taken with immunosuppressive agents. The effects will be inhibited by steroids or other prescription immunosuppressive agents. Should not be taken by patients who have had an organ transplant. It may worsen autoimmune disease. Some patients report increased sensitivity in sites of old injuries. Decrease dose or stop using this product and contact your doctor if symptoms worsen. Do not use if pregnant or nursing. Do not use in children under 15 years of age. Not intended for use as a substitute for sleep.

45-50 servings per bottle.

NDC 68648-509-10 (Item # 55091), NDC 68648-525-10 (Item # 55251)

---

### **References**

Dunn TM, Taub FE, Pontzer CH. Department of Cell Biology and Molecular Genetics, University of Maryland. Submitted for publication 2001.  
Dunn TM, Wormsley S, Taub FE, Pontzer CH. International Journal of Immunopharmacology (2000) 22, 213-227.  
Dunn TM, Wormsley S, Taub FE, Pontzer CH. Abstract presented at the American Society for Pharmacology and Experimental Therapeutics.  
Gilbert T, Fleisher M, et al. Cancer Research, 1994; 54(21): 5623-35.  
Mayerson SE, Taub FE. Presented at the First International Conference on Whole Person Healing, Bethesda, MD. March 28, 2003.  
Miller W, et al. Presented at the VII International Multiple Myeloma Workshop, Stockholm, Sweden, September 1999.  
Miller WH Jr, Caplan S, et al. Oral presentation at the ISH 2000 (28th International Congress) Toronto, Ontario, August 2000.  
Miller WH Jr, Caplan S, et al. Presented at the 11th NCI-EORTC-AACR Symposium on New Drugs in Cancer Therapy (Amsterdam, The Netherlands), 2000.

Miller WH Jr, Roy J, et al. Presented at the 43rd Annual Meeting of the American Society for Hematology, December, 2001.  
Miller WH, Caplan S, et al. Blood Suppl., Part II, Nov. 15, 1999, p.264b.  
Taub F, Manos K, Mayerson S. Presented at the 15th Annual Scientific Meeting of the Society for Biological Therapy, Seattle, WA October 2000.  
Taub F, Mayerson S, et al. Presented at the 10th NCI-EORTC Symposium on New Drugs in Cancer Therapy, Amsterdam, Netherlands, June 1998.  
Taub F, Mayerson S, Fichtner I. Presented at the UCLA Symposium on Breast and Prostate Cancer, Keystone, Colorado, February 1998.  
Taub F, Mayerson S, et al. Presented at the AACR-NCI-EORTC International Conference on Molecular Targets and Cancer Therapeutics, Washington, D.C., November 1999.  
Taub F. Presented at the Cancer Immun surveillance 1999 International Symposium, New York, New York, 1999.  
Taub F. Presented at the Comprehensive Cancer Care 2000, Arlington, VA, June 2000.



**NutriCology®**, Inc.  
2300 North Loop Road, Alameda, CA 94502  
Phone: 800-545-9960 or 510-263-2000  
Fax: 800-688-7426 or 510-263-2100  
www.nutricology.com

\*THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.